

Approved for use through 06/30/2006, OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO Application Number 10/661,842 INFORMATION DISCLOSURE Filing Date 2003 September 12 STATEMENT BY APPLICANT First Named Inventor Sheehan, E.W. Art Unit 2881 O DOCTOCO GOD GODGOO GOODGOOGOO Examiner Name Attorney Docket Number Sheet 3

| | NON PATENT LITERATURE DOCUMENTS | | | | | | | |
|---------------|---------------------------------|---|--|--|--|--|--|--|
| Examiner Cite | | | | | | | | |
| | | POTJEWYD, J., "Focusing of ions in atmospheric pressure gases using electrostatic fields," Ph.D. Thesis, University of Toronto (1983). | | | | | | |
| 1 | | MAHONEY, J.F., ET AL., "A theoretical and experimental basis for producing very high mass biomolecular ions by electrohydrodynamic emission," 22th IEEE Industry Applications Society Annual Meeting, Atlanta, GA. October 18-23, 1987. | | | | | | |
| 1 | | OLIVARES, J.A., ET AL., "On-line mass spectrometric detection for capillary zone electrophoresis," Anal. Chem. 59, pages 1230-1232 (1987). | | | | | | |
| | | LEE, T.D., ET AL., "An EHD source for the mass spectral analysis of peptides," Proceedings of the 36th ASMS Conference on Mass Spectrometry and Allied Topics, San Francisco, CA, June 5-10, 1988. | | | | | | |
| | | SMITH, R.D., ET AL., "Capillary zone electrophoresis-mass spectrometry using an electrospray ionization interface," Anal. Chem. 60, pages 436-441 (1988). | | | | | | |
| | | LEE, T.D., ET AL., "Electrohydrodynamic emission mass spectra of peptides," Proceedings of the 37th ASMS Conference on mass Spectrometry and Allied Topics, Miami Beach, FL, May 21-26, 1989. | | | | | | |
| | | MAHONEY, J.F., ET AL., "Electrohydrodynamic ion source design for mass spectrometry: lonization, ion optics and desolvation," Proceedings of the 38th ASMS Conference on Mass Spectrometry and Allied Topics, Tucson, AR, June 3-8, 1990. | | | | | | |
| | | BRUINS, A.P., "Mass Spectrometry with ion sources operating at atmospheric pressure," Mass Spectrom. Rev. 10, pages 53-77 (1991). | | | | | | |
| | | FENG, X., ET AL., "Single isolated droplets with net charge as a source of ions," J. Am. Soc. Mass Spectrom. 11, pages 393-399 (2000). | | | | | | |
| (1) | | SCHNEIDER, B.B., ET AL., "An atmospheric pressure ion lens to improve electrospray ionization at low solution flow-rates", Rapid Commun. Mass Spectrom 15, pages 2168-2175 (2001). | | | | | | |

| $\overline{}$ | | \ | | |
|-----------------|-------|----------|--------------------|-------------------|
| | | / | Doma | _ / / |
| Explina Side | nor S | | Date Considered | <i>(</i>)3//2/04 |
| 37. | | | | 777 |

EXAMPLER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation/if not in conformance and not considered. Include copy of this form with next communication to applicant in the place a check mark here if English language Translation is attached. This collection designation number (options). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiatity is governed by 38 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete brokening generating, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of three you require to complete this form end/or suggestions for reducing this burden, should be sent to the Chief information Officer, U.S. Patent and Treatment Office, U.S. Department of Commerce, P.O. Box 1480, Alexandria, VA 22313-1480. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDINESS. SEED TO: Commissioner for Patents, P.O. Box 1480, Alexandria, VA 22313-1458.

JAN 0 8 2004 THE PARTY OF THE P Under the Paperwork Reduction Act of

PTO/SB/08b (08-03) Approved for use through 08/30/2008, OMB 0851-0031
U.S. Patent and Tredemark Office; U.S. DEPARTMENT OF COMMERCE e required to respond to a collection of information unless it contains a valid OMB control number.

| _ | Sheet | 2 | of | 3 | Attorney Docket Number | | |
|-------------------------------|-------|-------------------------|---|----------------------|------------------------|-------------------|--|
| | C | 00 000 000 000 00000 00 | 000000000000000000000000000000000000000 |) | Examiner Name | | |
| | | | | | Art Unit | 2881 | |
| STATEMENT BY APPLICANT | | | | CANT | First Named Inventor | Sheehan, E.W. | |
| | INFOR | MATION | DISCLO | SURE | Filing Date | 2003 September 12 | |
| | | | | | Application Number | 10/661,842 | |
| Substitute for form 14498/PTO | | | | 0 00 000000000000000 | | | |

| NON PATENT LITERATURE DOCUMENTS | | | | | | |
|---------------------------------|--|---|------------------|--|--|--|
| Examiner Initials* | Çite No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T² | | | |
| Ma | · | ALOUSI, A., ET AL., "Improved transport of atmospheric pressure ions into a mass spectrometer," The Proceedings of the 50th ASMS Conference on Mass Spectrometry and Allied Topics, Orlando, Florida, June 2-6, 2002 | F100 44 88 91 91 | | | |
| M | | KLESPER, H., ET AL., "Intensity increase in ESI MS by means of focusing the spray cloud onto the MS Orifice," The Proceedings of the 50th ASMS Conference on Mass Spectrometry and Allied Topics, Orlando, Florida, June 2-6, 2002. | | | | |
| | | SCHNEIDER, B.B., ET AL., "An atmospheric pressure ion lens that improves nebulizer assisted electrospray ion sources", J. Am. Soc. Mass Spectrom. 13, pages 906-913 (2002). | | | | |
| | | | ••••• | | | |
| | | | PARA | | | |
| | | | | | | |
| | | | , | | | |
| | ************************************** | | p. 4444 20 20 44 | | | |
| | | | | | | |
| | | | | | | |

| Examiner | Date Considered | 63/1 | 2/14 | |
|-----------|--------------------|-------|--|--|
| Signature | COLOCOLOG | Vill. | // | |

*EXAMPLER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

"EXAMPLER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw the through citation if not in conformance and not considered. Include capy of this form with next communication to applicant.

1 Applicant's unique citation designation number (options). 2 Applicant is to place a check mark here if English language Translation is attached.

This obligation of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is astimated to take 2 hours to complete the USPTO in the will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Tradement Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDITIESS. \$6500 TO: Governments over the Chief Process. Policy Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

JAN 0 8 2004 E

PTO/S8/08a (08-03)
Approved for use through 07/31/2006, OMB 0851-0031
U.S. Petent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
200d to a collection of information unless it contains a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Complete If Known

Application Number 10/661,842

Filing Date 2003 September 12

First Named Inventor Sheehan, E.W.

Art Unit 2881

(Use as many sheets as necessary)

Substitute for form 1449AP TO

Sheet 1 of 3 Attorney Docket Number

| | U. S. PATENT DOCUMENTS | | | | | | |
|-------------------|------------------------|--|--------------------------------|--|---|--|--|
| Examiner Initials | Cite No.1 | Document Number Number-Kind Code ^{2 (Flacing)} | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | | |
| (1/) | | ^{US-} 4,300,004 | 11/10/1981 | Iribane et al. | | | |
| 1 | | ^{US-} 4,318,028 | 3/2/1982 | Perel et al. | | | |
| | | ^{.US} - 4,531,056 | 7/23/1985 | Labowsky et al. | | | |
| \Box | | ^{US-} 4,542,293 | 9/17/1985 | Fenn et al. | · · · · · · · · · · · · · · · · · · · | | |
| | | ^{US-} 5,306,910 | 4/26/1994 | Jarrell et al. | | | |
| | | ^{US-} 5,412,208 | 5/2/1995 | Covey et al. | | | |
| 7 | | ^{US-} 5,559,326 | 9/24/1996 | Goodley et al. | | | |
| T | | ^{us} - 5,747,799 | 5/5/1998 | Franzen | | | |
| 7 | | ^{U8-} 5,750,988 | 5/12/1998 | Apffel et al. | | | |
| | | US- 5,838,002 | 11/17/1998 | Sheehan | | | |
| 10 | | ^{US-} 6,278,111 B1 | 8/21/2001 | Sheehan et al. | | | |
| A X I | | ^{US-} 6,455,846 B1 | 9/24/2002 | Prior et al. | | | |
| | | ^{US-} 2003/0,038,236 | 2/27/2003 | Russ et al. | | | |
| 7 / | | US- | | | | | |
| 7 | | US- | | | | | |
| | | US- | | | | | |
| | | US- | | | | | |
| | | US- | | | | | |

| | FOREIGN PATENT DOCUMENTS | | | | | | | | |
|----------------------|--------------------------|---|------------------|-----------------------------|---|-----|--|--|--|
| Examiner Initiale | Cite | Foreign Patent Document | Publication Date | Name of Palentee or | Pages, Columns, Lines, | _ | | | |
| | No.1 | Country Code ² Number ⁴ 1Gnd Code ⁵ (# Innown) | MM-DD-YYYY | Applicant of Cited Document | Where Relevant Passages or Relevant Figures Appear | r | | | |
| TAIY | | WO 98/07,505 | 2/26/1998 | Sheehan | | | | | |
| 777 | | WO 03/010,794 A2 | 2/6/2003 | Forssmann et al. | | | | | |
| 4/1 / | | | | | | | | | |
| /- | | | | | | Г | | | |
| | | | | | | T - | | | |

the appropriate symbols as indicated on the document under WPO Standard ST.10 if possible. • Appropriate symbols as indicated on the document under WPO Standard ST.10 if possible. • Appropriate to the process of the

If you need sesistance in completing the form, call 1-800-PTO-9199 and select option 2.